				MITTLE AND ST	•			50X1-	HUM
u vitterit sit Va	name in the second	Mark Kinerata		en 1887 i de graphe (desentation of the graphes) (desentation of the graphes) (desentation of the graphes)	inne Grand with the Allian personal files	the action of the state of the	ringer egit is person	50X1	-HUM
						•			
ENTR	AL IN	TELL	IGENC	EAGENCY				b	
	ve Venez		**			This Document contains tional Defense of the Un- ing of Title 18, Sections	ited States, with	in the mean-	
NFOR	TAMS	ON	REPO	RT		amended, Its transmission to or receipt by an unau	on or revelation o	fits contents is prohibited	**
				SECRET/CONTROL	- US OFFICIA	by law. The reproduction	on of this form i	s prohibited.	
							•	50X1-l	HUM
COUNTRY		USSR	(Kurman	sk Oblast)	•	REPORT			- 1
UBJECT				sks and Abandone	ed Camp Site	DATE DISTR.	23 De	ecember 1953	
		in No	rthern]	Murmansk Oblast		NO. OF PAGES	3	50X	1-HUM
DATE OF	INFO.		<u> </u>	<u>, trajamento de la compansión de la com</u>		REQUIREMENT NO	. RD	50X1	-HUM
						REFERENCES	- ··· ·	4	
PLACE AC	JUVIKED					ALI EREI TOES			
					·				
, į			THE		CONTENT IS TENT		No. 1	्र के ड्रेड स्ट्रिक	
	, i s			(FOR KE	Y SEE REVERSE)				—
1.	Lake l	art (singl	N69-16, e-story	E31-37).	ith flat roof	five of six kil	ys did not	50X1-lutheast of	1-HUM HUM
1.	Lake l	singlers (singlers and since	N69-16, e-story because the e poles	E31-37). construction withere were no buildings might, similar to the	ith flat roof villages or o be quarters ose used as s	s and no chimne ther buildings for highway or takes in laying	ys did not in the are railroad c out the b	theast of resemble a. onstruction oundaries	HUM
	bouses crews, of new	singl and sine road	N69-16, e-story because the e poles ways, a	E31-37). construction withere were no buildings might, similar to the restacked near	ith flat roof viilages or o bs quarters ose used as s the building	s and no chimne ther buildings for highway or takes in laying s. (See sketch	ys did not in the are railroad c out the b on page 3	sox1-lutheast of utheast of a. construction oundaries of 50X1-HUM	HUM 1-HUM
2.	becased crews, of new The to	single and since road to building	N69-16, e-story because the e poles ways, a ldings gs are	E31-37). construction withere were no buildings might, similar to the restacked near are approximated ten meters apart	ith flat roof viilages or o be quarters ose used as s the building ly six to sev t. The build	s and no chimne ther buildings for highway or takes in laying s. (See sketch en meters long ings are white,	ys did not in the are railroad c out the b on page 3 and three either pa	versemble resemble a. onstruction oundaries .) 50X1-HUM meters high inted or	HUM 1-HUM
	crews, of new The transcription of transcription of the transcription of transcripti	single and since road to buildingly of ngs h	N69-16, e-story because the e poles ways, a ldings gs are such r ave win	E31-37). construction withere were no vide the similar to the restacked near are approximated ten meters aparecent constructions and at night	ith flat roof villages or o be quarters ose used as s the building ly six to sev t. The build ion that the at they appea	s and no chimne ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light	ys did not in the are railroad c out the b on page 3 and three either pa light coled by elec	resemble a. onstruction oundaries .) 50X 50X1-HUM meters high inted or ored. Both	HUM 1-HUM
	crews, of new The transposit building the bu	singl singl sand road buildin ly of ngs h ildin f the	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond,	construction we there were no unidings might, similar to the restacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a	ith flat roof villages or o be quarters ose used as s the building Ly six to sew t. The build ion that the nt they appea a body a water a north-south	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te	ys did not in the are railroad c out the b on page 3 and three either pa light cole by election. Implement the pond. Implement polecy by elections in the property of the prop	resemble a. construction oundaries by 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle.	HUM 1-HUM
	crews, of new The transposit building the bu	singles and since road to buildingly of ings hilding f the st si	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of t	construction we there were no unidings might, similar to the restacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a	ith flat roof villages or o be quarters ose used as s the building ly six to sew t. The build ion that the int they appea a body a wate a north-south wires were	s and no chimnes ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bec	ys did not in the are railroad c out the b on page 3 and three either pa light cole dby elec pond. Implephone po ause of th	resemble a. construction oundaries b) 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricted	HUM 1-HUM
	crews, of new The to possible building the building the bushes of one of one of one of the cast of one of one of the cast of one of the cast of the ca	single and since road to building of the st si ation of t	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of the	construction we there were no validings might, similar to the restacked near are approximated ten meters apart dows and at night located beside a road runs in a mis road, though dings, probably	ith flat roof villages or o be quarters use used as s the building Ly six to sev t. The build ion that the int they appea a body a wate a north-south wires were smok from a campf	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bece was observed ire. No person	ys did not in the are railroad c out the b on page 3 and three either pa light cole by elect pond. Implephone po ause of the rising from	resemble a. construction oundaries by 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricted in front	HUM 1-HUM
2.	the transfer of one activis	single and since road to building the station of the try we	N69-16, e-story because the e poles ways, a ldings gs are such r aye win gs are pond, de of the he built re obser	construction we there were no buildings might, similar to the re stacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a his road, though the road in the vicinity of the vicinity of the road in the vicinity of the road in the vicinity of the road in the vicinity of the vicinity	ith flat roof villages or o be quarters use used as s the building Ly six to sev t. The build ion that the ht they appea a body a wate north-south h wires were smok from a campf inity of the	s and no chimner ther buildings for highway or takes in laying s. (See sketch ren meters long lings are white, lumber is still red to be light red to be light re, presumably a direction. Te not visible bece was observed ire. No person buildings.	ys did not in the are railroad c out the b on page 3 and three either pa light colled by election pond. Implephone pondising from s or other	resemble a. onstruction oundaries .) 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricted in front sign of 50X1-H	HUM 1-HUM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2.	take I	single and since road to buildingly of high hildings hildings hildings to the station of the ty we three ucted	N69-16, e-story because the e poles ways, a ldings gs are such rave wings are pond, de of the built re observed e kilome gravel	E31-37). construction we there were no validings might, similar to the restacked near are approximated ten meters aparticed as and at night located beside a road runs in a his road, thought lings, probably red in the vicinity of the road which runs and which runs and which runs are approximately a road which runs and which runs are approximately app	ith flat roof villages or o be quarters use used as s the building ly six to sev t. The build ion that the int they appea a body a wate a north-south in wires were smok from a campf inity of the of the build in an east-	s and no chimne ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bec e was observed ire. No person buildings. ings described west direction.	ys did not in the are railroad c out the b on page 3 and three either pa light colled by election pond. Implement of the rising from s or other above ther Surveyin	resemble a. construction oundaries by 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricted in front sign 050X1-H e is a newly g poles are	HUM 1-HUM -HUM IUM
2.	take I	single and since road to buildingly of his ation of the st si ation of the try we three ucted in pl	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of ti he built re obser e kilome gravel ace and	construction we there were no volutions might, similar to the restacked near are approximated ten meters apartecent constructed dows and at night located beside a road runs in a his road, though the road which runs recently felled.	ith flat roof villages or o be quarters ose used as s the building ly six to sew t. The build ion that the int they appea a body a wate a north-south i wires were smok from a campf inity of the of the build s in an east- i trees and c	s and no chimnes ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Tenot visible bece was observed ire. No person buildings. ings described west direction. ut branches can	ys did not in the are railroad c out the b on page 3 and three either pa light colled by election pond. Implement of the rising from sor other surveying be seen of the seen o	resemble a. construction oundaries by 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricted m in front sign o50X1- e is a newly g poles are n both sides	HUM 1-HUM 1 -HUM IUM 7
2.	take I	single and since road to buildingly of the st si ation of the try we three ucted in pl	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of t he built re obse e kilom gravel ace and The ns of ve	construction we there were no volutions might, similar to the restacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a his road, though the road which runs recently felled road is about field a shicular traffic	ith flat roof villages or o be quarters use used as s the building ly six to sew t. The build ion that the int they appea a body a wate a north-south in wires were smok from a campf inity of the of the build is in an east- i trees and c ive meters wi e; only horse	s and no chimnes ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bec e was observed ire. No person buildings. ings described west direction. ut branches can de and has no d cart tracks we	ys did not in the are railroad c out the b on page 3 and three either pa light colled by elect pond. Implement of the rising from sor other above ther Surveying be seen or rainage dire visible	resemble a. construction oundaries by 50X1-HUM meters high inted or ored. Both tricity. mediately les parallele e restricted m in front sign o 50X1 50X1-He e is a newly g poles are n both sides tches. The	HUM 1-HUM 1 -HUM IUM 7
2.	take I	single and since road to buildings he illdings he illdings to the station of the ty we three ucted in plants of significant si	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of the built re obse e kilome gravel ace and the this	construction we there were no volutions might, similar to the restacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a mis road, though the road which runs recently felled road was constructed as about fire about road was constructed to the runs recently felled road was constructed as about fire about road was constructed to the road was constructed to the road was constructed to the runs recently felled road was runs runs runs runs runs runs runs run	ith flat roof villages or o be quarters be used as s the building Ly six to sev t. The build ion that the int they appea a body a wate a north-south wires were smok from a campf inity of the of the build s in an east- i trees and c ive meters wie c; only horse ructed in sum	s and no chimner ther buildings for highway or takes in laying s. (See sketch ren meters long ings are white, lumber is still red to be light r, presumably a direction. Tenot visible bece was observed ire. No person buildings. ings described west direction. ut branches can de and has no de cart tracks we mer 1952.	ys did not in the are railroad cout the bon page 3 and three either palight cole by electron of the rising from sor other above ther Surveying be seen or rainage dire visible	resemble a. construction oundaries by 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricte m in front sign o 50X1- e is a newly g poles are n both sides tches. The HUM 50X	HUM 1-HUM 1 -HUM IUM 7
2.	take I	single and since road to buildings hildings hildings three three ucted in place road one-sks ha	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of the built re observed ace and ace and the the tory bar d four	construction we there were no volutidings might, similar to the restacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a mis road, though the road which runs recently felled road was constructed as a bout first about froad was constructed as a construction of the runs of the road is about first ab	ith flat roof villages or o be quarters be used as s the building Ly six to sev t. The build ion that the int they appea a body a wate a north-south wires were smok from a campf inity of the of the build s in an east- i trees and c ive meters wie c; only horse ructed in sum ted near Lake le and was el	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light or, presumably a direction. Te not visible bece was observed ire. No person buildings. ings described west direction. ut branches can de and has no de cart tracks we mer 1952. Mokket (N69-12 ectrically light	ys did not in the are railroad c out the b on page 3 and three either pa light cole by elect pond. Implement of the rising from sor other above ther Surveying be seen or rainage dire visible 50X1-42).	resemble a. resemble a. onstruction oundaries 50X 50X1-HUM meters high inted or ored. Both tricity. mediately les paralle e restricted m in front sign o 50X1 50X1-H e is a newly g poles are n both sides tches. Then	HUM 1-HUM I-HUM IUM Telen 1-HUM
2• 3•	take I	single and since road to building the st si ation of the st si ation o	N69-16, e-story because the e poles ways, a ldings gs are such r ave win gs are pond, de of the he built re observed ace and The in ns of way this tory bar arracks	construction we there were no volutions might, similar to the restacked near are approximated ten meters aparted dows and at night located beside a road runs in a mis road, though the road which runs recently felled road is about fighticular traffic road was constructed windows on a side could house 40	ith flat roof villages or o be quarters be used as s the building Ly six to sev t. The build ion that the int they appea a body a wate a north-south in wires were smok from a campf inity of the of the build s in an east- i trees and c ive meters wi e; only horse ructed in sum sed near Lake de and was el to 50 people	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Tenot visible bece was observed ire. No person buildings. ings described west direction. ut branches can de and has no direct tracks we mer 1952. Mokket (N69-12 ectrically lights.)	ys did not in the are railroad c out the b on page 3 and three either pa light colled by elect pond. Implement of the rising from sor other above ther Surveying be seen or rainage dire visible 50X1-1, E31-42).	resemble a. onstruction oundaries .) 50X1-HUM meters high inted or ored. Both tricity. mediately les parallele e restricted m in front sign o 50X1 50X1-H e is a newly g poles are n both sides tches. Then HUM 50X Each	HUM 1-HUM 1-HUM 1-HUM 1-HUM 1-HUM 1-HUM
2• 3•	take I	single and since road to building the st si ation of the st si ation o	N69-16, e-story because the epoles ways, a ldings gs are such r ave win gs are pond, de of the he built re observed ace and The r this tory bar dfour arracks	construction we there were no volutions might, similar to the restacked near are approximated ten meters aparticular to the construction and at night located beside a road runs in a mis road, though the construction of the con	ith flat roof villages or o be quarters see used as s the building Ly six to sev t. The build ion that the int they appea a body a wate a north-south in wires were smok from a campf inity of the of the build s in an east- i trees and c ive meters wi e; only horse ructed in sum sed near Lake le and was el to 50 people gated an a le	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bece was observed ire. No person buildings. ings described west direction. ut branches can de and has no di cart tracks we mer 1952. Mokket (N69-12 ectrically light.)	ys did not in the are railroad c out the b on page 3 and three either pa light colled by elect pond. Implement of the rising from sor other above ther Surveying be seen or rainage dire visible 50X1-1, E31-42).	resemble a. resemble a. onstruction oundaries .) 50X1-HUM meters high inted or ored. Both tricity. mediately les parallele e restrictee m in front sign of 50X1 50X1-H e is a newly g poles are n both sides tches. Then HUM 50X Each 50X1 50X1 50X1 50X1	HUM 1-HUM 1-HUM 1-HUM 1-HUM 1-HUM 1-HUM
2• 3•	take I	single and since road to building the st si ation of the st si ation o	N69-16, e-story because the epoles ways, a ldings gs are such r ave win gs are pond, de of the he built re observed ace and The r this tory bar dfour arracks	construction we there were no volutions might, similar to the restacked near are approximated ten meters aparticular to the construction and at night located beside a road runs in a mis road, though the construction of the con	ith flat roof villages or o be quarters see used as s the building Ly six to sev t. The build ion that the int they appea a body a wate a north-south in wires were smok from a campf inity of the of the build s in an east- i trees and c ive meters wi e; only horse ructed in sum sed near Lake le and was el to 50 people gated an a le	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bece was observed ire. No person buildings. ings described west direction. ut branches can de and has no direct tracks we mer 1952. Mokket (N69-12 ectrically light about 50 meters	ys did not in the are railroad c out the b on page 3 and three either pa light colled by elect pond. Implement of the rising from sor other surveying be seen or rainage dire visible 50X1-1, E31-42).	resemble a. resemble a. onstruction oundaries .) 50X1-HUM meters high inted or ored. Both tricity. mediately les parallele e restrictee m in front sign o 50X1 50X1-H e is a newly g poles are n both sides tches. Then HUM 50X Each 50X1 50X1 50X1 e is a newly g poles are n both sides tches. Then the southwes ide e underbrush	HUM 1-HUM 1-HUM 1-HUM 1-HUM 1-HUM 1-HUM
2• 3•	take I	single and since road to building the st si ation of the st si ation o	N69-16, e-story because the epoles ways, a ldings gs are such r ave win gs are pond, de of the he built re observed ace and The r this tory bar dfour arracks	construction we there were no volutidings might, similar to the restacked near are approximated ten meters apartecent constructions and at night located beside a road runs in a his road, though dings, probably rwed in the vicinates southeast road which runs recently felled road is about fighticular traffic road was constructed was constructed as a road which runs recently felled road is about fighticular traffic road was constructed was constructed as a road who was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the road was constructed as a road runs in the	ith flat roof villages or o be quarters ose used as s the building ly six to sew to The buildion that the nt they appead a body a water morth-south wires were smok from a campfinity of the of the builds in an eastifutes and cive meters will consider the second of the building in an eastifute meters will consider a summitted in s	s and no chimner ther buildings for highway or takes in laying s. (See sketch en meters long ings are white, lumber is still red to be light r, presumably a direction. Te not visible bece was observed ire. No person buildings. ings described west direction. ut branches can de and has no direct tracks we mer 1952. Mokket (N69-12 ectrically light about 50 meters	ys did not in the are railroad c out the b on page 3 and three either pa light colled by elect pond. Implement of the rising from sor other surveying be seen or rainage dire visible 50X1-1, E31-42).	resemble a. resemble a. onstruction oundaries .) 50X1-HUM meters high inted or ored. Both tricity. mediately les parallele e restrictee m in front sign o 50X1 50X1-H e is a newly g poles are n both sides tches. Then HUM 50X Each 50X1 50X1 50X1 e is a newly g poles are n both sides tches. Then the southwes ide e underbrush	HUM 1-HUM I-HUM I-HUM I-HUM I-HUM I-HUM I-HUM I-HUM



50X1-HUM

CHORESTY CONTROL - 65 OFFICIALS UNDI		-
-2-	;	J
and marshy ground in the area. Trampled bushes and grass and em tin cans indicated that the site may have been used in late Augu	pty unrusted st 1952.	

The cans were three to four inches high and four inches in diameter.

50X1-HUM

the site may have been used by military personnel. Two
trenches about five feet long, two feet wide, and two feet deep were observed
in the area. No signs or tracks of military vehicles or equipment were noted. However,

signs of target practice in the area.

50X1-HUM

7. Approximately 100 meters from the camp site, a gravel road runs in an east-west
direction. The road is about five meters wide

- A telephone line with eight wires parallels the south side of the roadway. A power line with three wires running in a east—west direction is located about 300 meters south of the road.

 50X1-HUM
- 8. Wreckage of a World War II German plane is located one-half kilometer south of Lake Chapr (N69-21, E31-32).
- 9. A partially completed forest clearing was observed at a point about two kilometers southwest of Lake Pon (N69-05, E31-54) and about five kilometers northwest of Lake Urd (N68-59, E31-53). Only a one-meter strip running in an east-west direction has been cleared. The underbrush and lower branches of the trees have been cut and the tree trunks have ax marks on them. Recently installed wooden stakes mark the outline of the clearing.

SECRET/CONTROL - US OFFICIALS ONLY

SECRET/CONTROL - US OFFICIALS ONLY

SECRET/CONTROL - US OFFICIALS ONLY

50X1-HUM